



INNOVATIVE GLASS FIBER WALL COVERINGS

# SYSTEXX Collection

09/2026

**SYSTEXX**!  
by Vitrolan

INNOVATIVE GLASS FABRICS AND FLEECES FOR WALLS AND CEILINGS

# CONTENTS



## USEFUL INFORMATION

Outstanding performance  
on walls and ceilings



## SYSTEXX ACTIVE

Wall coverings with  
that added extra



## SYSTEXX PHANTASY

Glass fiber wall coverings  
with creative textures for a  
decorative interior design


## SYSTEXX PURE

Glass fiber wall coverings  
featuring purist textures



## SYSTEXX FLEECE

Glass and cellulose fleeces  
for perfectly smooth walls



## SYSTEXX TECH

Fine reinforcement fabrics  
for indoor walls and ceilings

WALL COVERINGS MADE FROM GLASS

# OUTSTANDING PERFORMANCE ON WALLS AND CEILINGS

SYSTEXX by Vitrulan – paintable wall and ceiling coverings made from glass yarn and glass filaments. They boast high mechanical strength and durability, making them the preferred choice for use in high-traffic areas, such as large residential complexes, hospitals, public buildings, schools, and kindergartens. Yet they are also perfect for adding a touch of class to private home interiors.

Nearly all SYSTEXX products are extremely flame retardant (B-s1, d0 according to DIN EN 13501-1).

SYSTEXX Active FireProtect is even rated class A2-s1, d0 as non-combustible. The wall coverings also offer excellent water vapor permeability, comparable to highly breathable loam plasters, which contributes to a very pleasant indoor climate. When coated with suitable paint systems, the coverings can be sponged down and disinfected. They can be repainted 10 to 15 times. Glass fabrics are long-lasting, eco-friendly, and are particularly suitable for allergy sufferers.



Reaction-to-fire  
B-s1, d0 / A2-s1, d0




Abrasion and  
scrub resistant



Made in  
Germany



Wall reinforcing and  
crack bridging: A1



Water vapor  
permeable




Presents no  
health hazards



Resistant to disinfectants  
and cleaning agents



Non-toxic and  
food-safe



No VOC  
emissions



Impact and  
perforation resistant



Suitable for  
allergy sufferers



Environmental  
product declaration  
(EPD) available


The characteristics listed here apply to most of our SYSTEXX by Vitrulan range and sometimes depend on the coating.

EASY INSTALLATION

# MADE POSSIBLE BY PRACTICAL FEATURES

SYSTEXX glass fiber wall coverings offer unique, technical, economic, and ecological benefits compared to traditional materials such as cellulose, PVC, vinyl, plaster surfaces or bare plasterboard.

Many SYSTEXX products are already **PRE-PRIMED** and/or come with our efficient **AQUA TECHNOLOGY** for a fluid workflow – in the truest sense of the word: just moisten and press into place!! The adhesive is already applied to the back of the wall covering and is activated by simply adding water – just like postage stamps. Up to 25 m² of fabric can be installed per hour: perfect walls in record time! Our Aqua Technology helps you save an entire work step, reducing the working time by 30-40% and cutting down on material and shipping costs, warehousing and storage. space.



A wide range of SYSTEXX wall coverings are available with **Aqua Technology** for particularly quick and mess-free installation.



Many SYSTEXX designs are available **pre-primed** with high-quality white pigments.



FOR EVEN SIMPLER INSTALLATION

## TOOLS



### AQUA QUICK I (STATIONARY DEVICE)

Most of SYSTEXX glass fiber wall coverings feature our innovative Aqua Technology. Like postage stamps, these wall coverings come pre-pasted and only require water to be activated. This cuts work time and eliminates dirt and mess while ensuring an excellent result since the perfect amount of adhesive has already been applied.



### AQUA QUICK III (TABLE TOP UNIT)

This device was specifically developed as a low-cost entry-level model for Aqua Technology. Based on the technology used for the Aqua Quick I device, it consists of a plastic tub with unwinding unit.

Note: It is not suitable for applying dispersion adhesive.



### WORK TABLE

Recommended side table for the Aqua Quick I device and/or work table for Aqua Quick III.

Dimensions: 100 x 61 x 3 cm / height adjustable from 73 to 94 cm, 4.0 kg

### SPATULA

For smoothing down the wall covering quickly, ensuring bubble-free application.







## ACTIVE

Wall coverings with that added extra

# SYSTEXX Active

→ Wall coverings with that added extra

| SYSTEXX Active            | Application features                                                                | Grammage in g/m <sup>2</sup> | Roll dimensions in m    | Pattern repeat in cm |
|---------------------------|-------------------------------------------------------------------------------------|------------------------------|-------------------------|----------------------|
| Absorb 133 PG AQ          |    | 180                          | 1 x 50                  | →  0 free match      |
| Absorb 139 PG AQ          |    | 170                          | 1 x 50                  | →  0 free match      |
| Absorb 165 PG AQ          |    | 195                          | 1 x 50                  | →  0 free match      |
| Absorb Glassfleece PG     |    | 125                          | 1 x 50                  | →  0 free match      |
| AcousTherm 133 PG         |    | 465                          | 0.96 x 10.4 / 12        | →  0 free match      |
| AcousTherm 904 RW         |                                                                                     | 605                          | 0.96 x 10.4 / 12        | →  0 free match      |
| AcousTherm Glassfleece    |                                                                                     | 500                          | 0.96 x 10.4 / 12        | →  0 free match      |
| FireProtect 904           |                                                                                     | 500                          | 1 x 15.5                | →  0 free match      |
| FireProtect 978           |                                                                                     | 600                          | 1 x 15.5                | →  0 free match      |
| FireProtect 979           |                                                                                     | 600                          | 1 x 15.5                | →  0 free match      |
| FireProtect Glassfleece   |                                                                                     | 230                          | 1 x 25                  | →  0 free match      |
| Logo 905 RW               |                                                                                     | 280                          | 1 x 25                  | custom design        |
| Logo 960 RW               |                                                                                     | 200                          | 1 x 25                  | custom design        |
| Magnetic 139 PG           |  | 1,470                        | 0.95 x 2.6 / 5.2 / 10.4 | →  0 free match      |
| Magnetic Glassfleece PG   |  | 1,540                        | 0.95 x 2.6 / 5.2 / 10.4 | →  0 free match      |
| Magnetic Whiteboard matt  |                                                                                     | 1,710                        | 0.95 x 2.6 / 5.2 / 10.4 | →  0 free match      |
| Magnetic Whiteboard shiny |                                                                                     | 1,710                        | 0.95 x 2.6 / 5.2 / 10.4 | →  0 free match      |
| Print 188 PG              |  | 150                          | 1 x 50                  | →  0 free match      |
| Print 188 Co PG           |  | 170                          | 1 x 50                  | →  0 free match      |
| Print 960 RW              |                                                                                     | 200                          | 1 x 50                  | →  0 free match      |
| Print Glassfleece PG      |  | 200                          | 1 x 50                  | →  0 free match      |
| Reno 938 RW               |                                                                                     | 210                          | 1 x 25                  | →  0 free match      |
| Reno 938 RW AQ            |  | 245                          | 1 x 25                  | →  0 free match      |
| Reno 938 PG AQ            |  | 250                          | 1 x 25                  | →  0 free match      |
| Reno Smooth PG AQ         |  | 165                          | 1 x 50                  | →  0 free match      |
| Xtreme 960 RW AQ          |  | 265                          | 1 x 25                  | →  0 free match      |

The samples provided in this design collection have deliberately not been pre-pasted to prevent the pages from sticking together.

Product information, downloads, application videos and more!





## Absorb

Glass fiber wall covering for better indoor air quality thanks to formaldehyde absorber



## FireProtect

Non-flammable wall covering system for innovative fire protection



## Magnetic

Glass fiber wall coverings for magnetic wall surfaces



## Print

Glass fiber wall covering for digital printing



## Xtreme

The glass fiber wall covering for extreme challenges



## AcousTherm

Glass fiber wall covering that optimizes room acoustics and saves energy




## Logo

Glass fiber wall covering for brand- and design-conscious customers



## Magnetic Whiteboard

Versatile wall covering for creativity without bounds



## Reno

Glass fiber wall covering for fast refurbishment

# SYSTEXX Active Absorb



→ Glass fiber wall covering for better indoor air quality thanks to formaldehyde absorber



CLEAN AIR – EASY BREATHING

## BETTER INDOOR AIR QUALITY

Clean air is essential for our health. However, particularly when renovating or refurbishing rooms, many materials emit hazardous substances that can damage your health. Even breathing in just small amounts of these substances can reduce your ability to concentrate and trigger headaches or nausea.

Formaldehyde is a very common indoor air pollutant. Many everyday materials release this gas into the air. Formaldehyde is often emitted over a long period of time by new furniture, especially that made of wood composite or plywood, by carpets, paints or adhesives and degrades only slowly.

This is where SYSTEXX Active Absorb provides effective help: laboratory tests have scientifically proven that SYSTEXX Active Absorb can reduce the concentration of formaldehyde in the air by up to 65% – even though the pollutant is released into the air continuously. The wall covering can absorb and permanently bind high levels of formaldehyde across its entire life cycle.

UP TO  
**65%**

BETTER INDOOR AIR QUALITY

*compared to rooms with standard wall and ceiling coverings*

*Formaldehyde in indoor air...*



SYSTEXX Active Absorb

*... is permanently captured in SYSTEXX Active Absorb glass fabric and fleece.*

SYSTEXX Active Absorb Glassfleece PG

SYSTEXX Active Absorb 133 PG AQ

SYSTEXX Active Absorb 139 PG AQ

SYSTEXX Active Absorb 165 PG AQ

# SYSTEXX Active AcousTherm

→ Glass fiber wall coverings that optimize room acoustics and save energy

COZY HARMONY IN A TRANQUIL ATMOSPHERE

## PLEASANTLY WARM AND QUIET

→ Whether or not we feel comfortable in a particular room or situation depends on a number of different factors. Temperature and noise are particularly important. We usually find excessive heat, cold and noise unpleasant and disturbing. A balanced indoor climate and optimum noise levels have a positive impact on our performance and on our ability to concentrate. Of course, what we regard as a comfortable temperature varies from one person to another. In general, however, the less we move, the higher the temperature needs to be for us to feel comfortable. So, if we want to spend the evening on the sofa after work, being able to heat the living room quickly is a big advantage.

Uncoated or multi-coated, SYSTEXX AcousTherm works by trapping air which not only retains heat inside the room but also reduces reverberation. For one thing, there is a noticeable improvement in room acoustics. Thanks to its sound-absorbing properties, AcousTherm glass fabrics meet the requirements for sound absorption class E ( $\alpha_P$  up to 0.7). What is more, you can heat rooms to a comfortable temperature up to four times faster.

**NEW:** SYSTEXX Active AcousTherm Glassfleece offers an innovative solution for those who prefer smooth walls. Featuring the glass fleece on the visible side, it ensures a modern, flawless look that blends into a wide variety of interior design concepts. At the same time, it offers the reliable properties of the AcousTherm series: It retains heat inside the room and reduces reverberation, thus improving room acoustics and creating a comfortable ambient climate. The perfect combination of functionality and high-end style.



ACTIVE

SYSTEXX Active AcousTherm 133 PG

SYSTEXX Active AcousTherm 904 RW

SYSTEXX Active AcousTherm Glassfleece

# SYSTEXX Active FireProtect

→ Non-flammable wall coverings for innovative fire protection

SPREADS LIKE WILDFIRE

## EVERY SECOND COUNTS

Of course, we hope that fire never breaks out. But what if it does due to a technical fault or carelessness? In that case, every second that a product hampers the spread of fire counts towards saving one's own life or the lives of others. Because it is not only the fire that is dangerous – but above all the rapidly spreading smoke, which causes a loss of orientation and uses up the remaining oxygen. Heavily frequented facilities in particular must provide adequate protection to allow sufficient time for evacuation in the event of fire. Systems such as SYSTEXX Active FireProtect, which offer the highest fire resistance classes, can add crucial minutes to the time available for escape.

SYSTEXX Active FireProtect is a certified system of four products that all achieve an A2-s1, d0 fire rating when installed with the corresponding system adhesive SYSTEXX Active FireProtect Glue – in other words: it is non-combustible!

Reaction to fire according to DIN EN 13501-1 (2010): A2-s1, d0

(Tested in the adhesive/wall covering system)

- A2 – it is non-combustible
- s1 – in the event of fire a very limited amount of smoke may develop
- d0 – in the event of fire, there are no flaming droplets

Watch this video and discover the proven effectiveness of SYSTEXX Active FireProtect.





SYSTEXX Active FireProtect 904

SYSTEXX Active FireProtect 978

SYSTEXX Active FireProtect 979

SYSTEXX Active FireProtect Glassfleece

# SYSTEXX Active Logo

→ The No. 1 glass fiber wall coverings for brand-conscious customers

## INDIVIDUAL EYE-CATCHER

### WALL COVERING WITH YOUR OWN COMPANY LOGO

A glass fabric wall covering customized with your own company logo to display your corporate image on the wall – that's SYSTEXX Active Logo.

Thanks to the Jacquard weaving technique, it is possible to incorporate almost any type of image and logo, including non-geometric shapes. The maximum logo width is 800 mm.

With SYSTEXX Active Logo, brand-conscious companies, hotels or banks can brand their space with their own company logo. It is also ideal for use in busy areas and buildings and can line entire wall surfaces or be an eye-catching feature in individual rooms.

Thanks to the weaving technique, the design is impressively three-dimensional, creating an exclusive and high-quality look. Use the wall as your business card to communicate your corporate identity!



Logo 905 RW



Logo 960 RW

# SYSTEXX Active Magnetic

→ Glass fiber wall coverings for magnetic wall surfaces



EASY TO HANG MAGNETIC SURFACES

## PURE ATTRACTION

Whatever the shape or size of your walls, our patented magnetic products can cover them easily. The reverse side of the wall covering has a magnetic layer, whereas the options for the visible side are a particularly fine glass fabric (Magnetic 139 PG) or a perfectly smooth glass fleece (Magnetic Glassfleece PG).

The wall coverings can be painted over repeatedly, blend almost imperceptibly into the room, and do not create a magnetic field or interfere with mobile radio or Wi-Fi networks.

Coating the magnetic surface with a whiteboard finish lends it an additional function: it can be written on and wiped clean again and again.

SYSTEXX Active Magnetic Glassfleece PG

SYSTEXX Active Magnetic 139 PG



# SYSTEXX Active Magnetic Whiteboard

→ Innovative wall covering for creativity without bounds

THE ALL-IN-ONE SOLUTION

## THE QUICKEST AND CLEANEST WHITEBOARD


AVAILABLE WITH A SHINY  
OR MATT SURFACE

Once you have enjoyed the benefits of a whiteboard surface, you won't want to miss it. Wherever you may be, whatever you are doing — in a creative meeting, duty planning, at home in the kitchen, in the office or in the children's room: whiteboards are ideal to jot down ideas, leave a note for your colleagues or a short message for your spouse. Ideas need space. And the greater the creativity, the more space is needed.

The intelligent multifunctional wall covering is available with a matt or shiny surface and can be hung in any room in the desired size. When not in use, it blends almost invisibly into the overall design of the room.

And the SYSTEXX Active Magnetic Whiteboard can do even more: not only can the whiteboard surface be written on and wiped clean again and again, it also features a magnetic back so you can keep your notes or important documents securely and visibly on the wall with conventional magnets.





Magnetic reverse side

Covering film

SYSTEXX Active Magnetic Whiteboard matt

SYSTEXX Active Magnetic Whiteboard shiny

# SYSTEXX Active Print

→ Glass fiber wall covering for digital printing


IDEAL FOR DIGITAL PRINTING



## ON POINT CUSTOM DESIGNS

SYSTEXX Active Print takes you to a new level of digital printing! Available as fleece or woven fabric, this innovative glass fiber wall covering sets a benchmark for creative room designs.

What makes it special: the printing colors appear bright and clear, making designs look vibrant and distinct. Whether bold patterns or fine details, SYSTEXX Active Print brings them to every wall in brilliant quality.


At home, in the office or at the hotel – SYSTEXX Active Print transforms any wall into an eye-catcher and gives rooms a unique touch!






see real samples


**Print 188 Co PG**



**Print 188 PG**



**Print 960 RW**



**Print Glassfleece PG**

# SYSTEXX Active Reno

→ Glass fiber wall coverings for fast refurbishment

## QUICK AND EASY

## WALL RENOVATION WHILE BUSINESS CONTINUES

SYSTEXX Active Reno has been specifically developed for the fast renovation of indoor areas.

SYSTEXX Active Reno 938 is a glass fabric with a special weave pattern that hides substrate imperfections. Its intentionally irregular, textured finish is particularly suitable for direct application onto substrates in need of renovation that may show imperfections or trowel marks of up to 2 mm, e.g. textured plaster or even skim-coated tiles.

SYSTEXX Active Reno 938 is optionally available with Aqua Technology. This makes it possible to renovate while everyday business continues, causing very little disruption, even in high-traffic areas such as hospital corridors.

SYSTEXX Active Reno 938 is also available pre-pigmented. So pale colors need only one coat of paint – and that's it!

**NEW:** SYSTEXX Active Reno Smooth PG AQ is the latest member of the Reno family and presents a completely new solution for smooth walls. This glass fleece with Aqua Technology features a specially developed adhesive coating on the back that conceals substrate unevenness of up to 1 mm, creating a flawless, smooth surface. It is ideal for renovating old glass fabrics when a completely smooth finish is required. Thanks to its unique properties, it can be applied quickly and efficiently, without the need for time-consuming and messy filling and sanding to prepare the substrate! Reno Smooth is ready for direct coating. Wallpapering over it is possible but not necessary.





Reno 938 RW / RW AQ



Reno 938 PG AQ



Reno Smooth PG AQ

# SYSTEXX Active Xtreme

→ Glass fiber wall covering for extreme challenges

PROTECTS WHAT MATTERS

## WHEN DURABILITY IS KEY


When durability and resilience are required, our Xtreme glass fiber wall covering is the perfect solution. Boasting three times the abrasion and scrub resistance of standard glass fabrics, it ensures utmost resistance to mechanical impact.

Xtreme is the ideal choice for high-traffic areas in hospitals, staircases or public buildings, offering reliable protection against scratches and wear and tear. As a result, refurbishment intervals can be extended and maintenance costs reduced considerably. Xtreme combines high functionality with economic benefits – a robust solution that provides optimal protection for your walls.



**Xtreme 960 RW AQ**





# PHANTASY

Glass fiber wall coverings with creative textures  
for a decorative interior design

# SYSTEXX Phantasy

→ Glass fiber wall coverings with creative textures for a decorative interior design

| SYSTEXX Phantasy                                                                                          | Application features | Grammage in g/m <sup>2</sup> | Roll dimensions in m | Pattern repeat in cm        |
|-----------------------------------------------------------------------------------------------------------|----------------------|------------------------------|----------------------|-----------------------------|
| Labyrinth 902 RW                                                                                          |                      | 280                          | 1 x 25               | -->  0 free match           |
| Waterfall 908 RW                                                                                          |                      | 280                          | 1 x 25               | --> <-- straight match 32   |
| Snowflakes 911 RW                                                                                         |                      | 280                          | 1 x 25               | --> <-- straight match 12.8 |
| Metal Plate 913 RW                                                                                        |                      | 280                          | 1 x 25               | --> <-- straight match 20   |
| Bamboo 950 RW                                                                                             |                      | 200                          | 1 x 25               | --> <-- straight match 32   |
| Stones 951 RW                                                                                             |                      | 200                          | 1 x 25               | --> <-- straight match 64   |
| Diamond Dust 972 RW                                                                                       |                      | 200                          | 1 x 25               | --> <-- straight match 25   |
| Diamond Dust 972 RW AQ  |                      | 225                          | 1 x 25               | --> <-- straight match 25   |
| Stardust 973 RW                                                                                           |                      | 200                          | 1 x 25               | --> <-- straight match 100  |
| Stardust 973 RW AQ     |                      | 225                          | 1 x 25               | --> <-- straight match 100  |
| Icecubes 977 RW                                                                                           |                      | 200                          | 1 x 25               | -->  0 free match           |
| Icecubes 977 RW AQ     |                      | 225                          | 1 x 25               | -->  0 free match           |
| Versailles 980 RW AQ   |                      | 225                          | 1 x 25               | --> <-- straight match 50.8 |
| Teatime 981 RW                                                                                            |                      | 200                          | 1 x 25               | --> <-- straight match 46   |
| Orient 982 RW AQ       |                      | 225                          | 1 x 25               | --> <-- straight match 28.4 |
| Desert 983 RW AQ       |                      | 225                          | 1 x 25               | --> <-- straight match 34   |
| Stars 984 RW AQ        |                      | 225                          | 1 x 25               | --> <-- straight match 32   |
| Indian Summer 985 RW                                                                                      |                      | 200                          | 1 x 25               | --> <-- straight match 60   |
| Retro 986 RW                                                                                              |                      | 200                          | 1 x 25               | --> <-- straight match 81.2 |

The samples provided in this design collection have deliberately not been pre-pasted to prevent the pages from sticking together.

Product information, downloads, application videos and more!



SYSTEXX WORLDS OF DESIGN

## ENVISION YOUR SPACE

Whatever the setting, deepest jungle or vast, barren desert landscape: SYSTEXX Phantasy takes you on a journey into fantastic worlds. Opulent designs and stunning, large-format patterns turn entire rooms or feature walls into the focal point of any apartment, office or hotel room. Liven up your walls and let your imagination run free.

Although the texture of a wall covering is important for setting the atmosphere of a room, it is the combination of pattern and matching color that gives a room a special, individual ambiance.

Dive into the SYSTEXX Phantasy world of pattern and color designs and find out how to liven up your home with striking arrangements.



# SYSTEXX Phantasy

→ Glass fiber wall coverings with creative textures for a decorative interior design



**Labyrinth 902**



**Waterfall 908**



**Snowflakes 911**



**Metal Plate 913**



**Bamboo 950**



**Stones 951**

PHANTASY



Diamond Dust 972



Stardust 973



Icecubes 977



Versailles 980



Teatime 981



Orient 982

# SYSTEXX Phantasy

→ Glass fiber wall coverings with creative textures for a decorative interior design



**Desert 983**



**Stars 984**




**Indian Summer 985**



**Retro 986**





PURE

# PURE

Wall and ceiling coverings  
featuring purist textures

# SYSTEXX Pure

→ Wall and ceiling coverings featuring purist textures

| SYSTEXX Pure            | Application features                                                                                                                                                    | Grammage in g/m <sup>2</sup> | Roll dimensions in m | Pattern repeat in cm |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|----------------------|----------------------|
| Fine fabrics            |                                                                                                                                                                         |                              |                      |                      |
| Silk 960 RW             |                                                                                                                                                                         | 200                          | 1 x 25               | -->  0 free match    |
| Silk 960 RW AQ          |                                                                                        | 225                          | 1 x 25               | -->  0 free match    |
| Structure 139 RW        |                                                                                                                                                                         | 130                          | 1 x 50               | -->  0 free match    |
| Structure 139 PG        |                                                                                        | 140                          | 1 x 50               | -->  0 free match    |
| Structure 139 PG AQ     |       | 170                          | 1 x 50               | -->  0 free match    |
| Structure 138 RW        |                                                                                                                                                                         | 120                          | 1 x 50               | -->  0 free match    |
| Structure 138 PG        |                                                                                       | 130                          | 1 x 50               | -->  0 free match    |
| Classic premium fabrics |                                                                                                                                                                         |                              |                      |                      |
| Structure 135 RW        |                                                                                                                                                                         | 155                          | 1 x 50               | -->  0 free match    |
| Structure 135 PG        |                                                                                      | 175                          | 1 x 50               | -->  0 free match    |
| Structure 135 PG AQ     |   | 215                          | 1 x 25               | -->  0 free match    |
| Structure 126 RW        |                                                                                                                                                                         | 165                          | 1 x 50               | -->  0 free match    |
| Classic object fabrics  |                                                                                                                                                                         |                              |                      |                      |
| Structure 133 PG        |                                                                                      | 145                          | 1 x 50               | -->  0 free match    |
| Structure 133 PG AQ     |   | 185                          | 1 x 50               | -->  0 free match    |
| Structure 132 RW        |                                                                                                                                                                         | 125                          | 1 x 50               | -->  0 free match    |
| Structure 131 RW        |                                                                                                                                                                         | 115                          | 1 x 50               | -->  0 free match    |
| Structure 131 PG        |                                                                                      | 125                          | 1 x 50               | -->  0 free match    |
| Basic fabrics           |                                                                                                                                                                         |                              |                      |                      |
| Structure 129 RW        |                                                                                                                                                                         | 125                          | 1 x 50               | -->  0 free match    |
| Structure 129 PG        |                                                                                      | 130                          | 1 x 50               | -->  0 free match    |
| Structure 129 PG AQ     |   | 165                          | 1 x 50               | -->  0 free match    |
| Structure 192 RW        |                                                                                                                                                                         | 95                           | 1 x 50               | -->  0 free match    |
| Structure 510 RW        |                                                                                                                                                                         | 90                           | 1 x 25               | -->  0 free match    |

The samples provided in this design collection have deliberately not been pre-pasted to prevent the pages from sticking together.

Product information, downloads, application videos and more!



| SYSTEXX Pure        | Application features                                                                                                                                                    | Grammage in g/m <sup>2</sup> | Roll dimensions in m | Pattern repeat in cm |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|----------------------|----------------------|
| Crepe fabrics       |                                                                                                                                                                         |                              |                      |                      |
| Structure 165 RW    |                                                                                                                                                                         | 165                          | 1 x 50               | -->  0 free match    |
| Structure 165 PG    |                                                                                        | 170                          | 1 x 50               | -->  0 free match    |
| Structure 165 PG AQ |       | 195                          | 1 x 50               | -->  0 free match    |
| Structure 158 RW    |                                                                                                                                                                         | 190                          | 1 x 25               | -->  0 free match    |
| Coarse fabrics      |                                                                                                                                                                         |                              |                      |                      |
| Structure 114 RW    |                                                                                                                                                                         | 200                          | 1 x 25               | -->  0 free match    |
| Structure 116 RW    |                                                                                                                                                                         | 235                          | 1 x 25               | -->  0 free match    |
| Structure 116 PG    |                                                                                      | 255                          | 1 x 25               | -->  0 free match    |
| Double-warp fabrics |                                                                                                                                                                         |                              |                      |                      |
| Structure 182 PG AQ |   | 250                          | 1 x 25               | -->  0 free match    |
| Structure 117 RW    |                                                                                                                                                                         | 215                          | 1 x 25               | -->  0 free match    |
| Structure 111 PG    |                                                                                      | 215                          | 1 x 25               | -->  0 free match    |
| Structure 109 RW    |                                                                                                                                                                         | 145                          | 1 x 50               | -->  0 free match    |
| Structure 109 PG    |                                                                                      | 160                          | 1 x 50               | -->  0 free match    |
| Structure 108 RW    |                                                                                                                                                                         | 170                          | 1 x 50               | -->  0 free match    |
| Structure 108 PG    |                                                                                      | 180                          | 1 x 25               | -->  0 free match    |
| Herringbone fabrics |                                                                                                                                                                         |                              |                      |                      |
| Structure 103 RW    |                                                                                                                                                                         | 155                          | 1 x 50               | -->  0 free match    |
| Structure 103 PG AQ |   | 195                          | 1 x 50               | -->  0 free match    |
| Structure 152 RW    |                                                                                                                                                                         | 180                          | 1 x 25               | -->  0 free match    |
| Structure 152 PG    |                                                                                      | 205                          | 1 x 25               | -->  0 free match    |
| Structure 150 RW    |                                                                                                                                                                         | 145                          | 1 x 50               | -->  0 free match    |
| Structure 150 PG    |                                                                                      | 155                          | 1 x 50               | -->  0 free match    |
| Structure 150 PG AQ |   | 200                          | 1 x 25               | -->  0 free match    |

# SYSTEXX Pure

→ Wall and ceiling coverings featuring purist textures

| SYSTEXX Pure            | Application features                                                                | Grammage in g/m² | Roll dimensions in m | Pattern repeat in cm    |
|-------------------------|-------------------------------------------------------------------------------------|------------------|----------------------|-------------------------|
| Striped fabrics         |                                                                                     |                  |                      |                         |
| Small Stripes 925 RW    |                                                                                     | 280              | 1 x 25               | →  0 free match         |
| Small Stripes 925 RW AQ |    | 320              | 1 x 25               | →  0 free match         |
| Mixed Stripes 907 RW    |                                                                                     | 280              | 1 x 25               | →  0 free match         |
| Big Stripes 906 RW      |                                                                                     | 280              | 1 x 25               | →  0 free match         |
| Linear fabrics          |                                                                                     |                  |                      |                         |
| Rain 905 RW             |                                                                                     | 280              | 1 x 25               | →  0 free match         |
| Lines 901 RW            |                                                                                     | 280              | 1 x 25               | →  0 free match         |
| Jute 904 RW             |                                                                                     | 280              | 1 x 25               | →  0 free match         |
| Jute 904 RW AQ          |  | 325              | 1 x 25               | →  0 free match         |
| Structure 164 RW        |                                                                                     | 150              | 1 x 50               | →  0 free match         |
| Structure 145 RW        |                                                                                     | 120              | 1 x 50               | →  0 free match         |
| Graphic fabrics         |                                                                                     |                  |                      |                         |
| Dots 975 RW AQ          |  | 225              | 1 x 25               | → ←- straight match 1,6 |
| Structure 162 RW        |                                                                                     | 190              | 1 x 25               | → ←- straight match 7,5 |
| Structure 154 RW        |                                                                                     | 180              | 1 x 50               | →  0 free match         |
| Structure 146 RW        |                                                                                     | 160              | 1 x 50               | →  0 free match         |

SUBTLE AND UNOBTRUSIVE, YET UNIQUE

## IN TUNE WITH SPACE AND TIME


SYSTEXX Pure offers countless design options for your rooms. Straight lines and well-defined textures create a calm setting and intentionally enhance the purist look of your walls. In addition, this pared down look also provides the ideal

basis for sophisticated stucco techniques or color combinations. All wall coverings included in the SYSTEXX Pure range offer the same technical benefits as glass fiber wall coverings: they are crack bridging, impact and fire resistant, and non-hazardous to health.

Fine fabrics



Silk 960



Structure 139




Structure 138

Classic premium fabrics



Structure 135



Structure 126

# SYSTEXX Pure

→ Wall and ceiling coverings featuring purist textures

## Classic object fabrics



[see real samples](#)

Structure 133



Structure 132



[see real samples](#)

Structure 131

## Basic fabrics



Structure 129



Structure 192




Structure 510

Crepe fabrics




Structure 165




Structure 158

Coarse fabrics



Structure 114



Structure 116


# SYSTEXX Pure

→ Wall and ceiling coverings featuring purist textures

## Double-warp fabrics



Structure 182




Structure 117



Structure 111



Structure 109



Structure 108

Herringbone fabrics



Structure 103



Structure 152



Structure 150

Striped fabrics



Small Stripes 925



Mixed Stripes 907




Big Stripes 906

# SYSTEXX Pure

→ Wall and ceiling coverings featuring purist textures


## Linear fabrics



Rain 905



Lines 901



Jute 904



Structure 164



Structure 145


Graphic fabrics




Dots 975



Structure 162



Structure 154



Structure 146





# FLEECE

Glass and cellulose fleeces  
for perfectly smooth walls

# SYSTEXX Fleece


→ Glass and cellulose fleeces for perfectly smooth walls

| SYSTEXX Fleece       | Application features                                                               | Grammage in g/m <sup>2</sup> | Roll dimensions in m | Pattern repeat in cm |
|----------------------|------------------------------------------------------------------------------------|------------------------------|----------------------|----------------------|
| Glass 35 RW          |                                                                                    | 35                           | 1 x 50               | -→  0 free match     |
| Glass 100 PG         |   | 100                          | 1 x 50               | -→  0 free match     |
| Glass 100 PG AQ      |   | 125                          | 1 x 50               | -→  0 free match     |
| Glass 130 PG         |   | 130                          | 1 x 50               | -→  0 free match     |
| Glass 130 PG AQ      |   | 150                          | 1 x 50               | -→  0 free match     |
| Glass 130 PG AQ+     |   | 160                          | 1 x 50               | -→  0 free match     |
| Glass 200 PG         |   | 200                          | 1 x 50               | -→  0 free match     |
| Glass 200 PG AQ      |  | 220                          | 1 x 30               | -→  0 free match     |
| Glass 225 Si         |                                                                                    | 225                          | 1 x 50               | -→  0 free match     |
| Cellulose 130 PG     |                                                                                    | 130                          | 1 x 25               | -→  0 free match     |
| Cellulose 150 PG     |                                                                                    | 150                          | 1 x 25               | -→  0 free match     |
| Cellulose 150 Eco PG |                                                                                    | 150                          | 1 x 25               | -→  0 free match     |

*The samples provided in this design collection have deliberately not been pre-pasted to prevent the pages from sticking together.*

Product information, downloads, application videos and more!





# TECH

Fine reinforcement fabrics  
for indoor walls and ceilings


TECH

# SYSTEXX Tech

→ Fine reinforcement fabrics for indoor walls and ceilings


TECH

| SYSTEXX Tech | Grammage<br>in g/m <sup>2</sup> | Roll dimensions<br>in m |
|--------------|---------------------------------|-------------------------|
| FissNet 870  | 70                              | 1 x 50                  |
| FissNet 895  | 95                              | 1 x 50                  |



see real samples


**FissNet 870**



see real samples

**FissNet 895**

Product information, downloads,  
application videos and more!



# SYSTEXX conversion chart

→ Overview of old and new product names of the SYSTEXX range

## SYSTEXX Active

| Product name              | Former product name        |
|---------------------------|----------------------------|
| Absorb 133 PG AQ          | Absorb 633                 |
| Absorb 139 PG AQ          | Absorb 639                 |
| Absorb 165 PG AQ          | Absorb 604                 |
| Absorb Glassfleece PG     | Absorb Glassfleece         |
| AcousTherm 133 PG         | AcousTherm 233             |
| AcousTherm 904 RW         | AcousTherm 904             |
| AcousTherm Glassfleece    | <b>NEW</b>                 |
| FireProtect 904           | FireProtect FP04           |
| FireProtect 978           | FireProtect FP78           |
| FireProtect 979           | FireProtect FP79           |
| FireProtect Glassfleece   | FireProtect FP Glassfleece |
| Logo 905                  | Logo L00                   |
| Logo 960                  | Logo L65                   |
| Magnetic 139 PG           | Magnetic M39               |
| Magnetic Glassfleece PG   | Magnetic M22               |
| Magnetic Whiteboard matt  | Magnetic Whiteboard matt   |
| Magnetic Whiteboard shiny | Magnetic Whiteboard shiny  |
| Print 188 PG              | <b>NEW</b>                 |
| Print 188 Co PG           | <b>NEW</b>                 |
| Print 960 RW              | <b>NEW</b>                 |
| Print Glassfleece PG      | <b>NEW</b>                 |
| Reno 938 RW               | Reno 938                   |
| Reno 938 RW AQ            | Reno S38                   |
| Reno 938 PG AQ            | Reno SP38                  |
| Reno Smooth PG AQ         | <b>NEW</b>                 |
| Xtreme 960 RW AQ          | <b>NEW</b>                 |

## SYSTEXX Phantasy

| Product name       | Former product name |
|--------------------|---------------------|
| Labyrinth 902 RW   | Labyrinth 902       |
| Waterfall 908 RW   | Waterfall 908       |
| Snowflakes 911 RW  | Snowflakes 911      |
| Metal Plate 913 RW | Metal Plate 913     |
| Bamboo 950 RW      | Bamboo 950          |
| Stones 951 RW      | Stones 951          |

## SYSTEXX Phantasy

|                        |                   |
|------------------------|-------------------|
| Diamond Dust 972 RW    | Diamond Dust 972  |
| Diamond Dust 972 RW AQ | Diamond Dust 072  |
| Stardust 973 RW        | Stardust 973      |
| Stardust 973 RW AQ     | Stardust 073      |
| Icecubes 977 RW        | Icecubes 977      |
| Icecubes 977 RW AQ     | Icecubes 077      |
| Versailles 980 RW AQ   | Versailles 080    |
| Teatime 981 RW         | Teatime 981       |
| Orient 982 RW AQ       | Orient 082        |
| Desert 983 RW AQ       | Desert 083        |
| Stars 984 RW AQ        | Stars 084         |
| Indian Summer 985 RW   | Indian Summer 985 |
| Retro 986 RW           | Retro 986         |

## SYSTEXX Pure

| Product name        | Former product name |
|---------------------|---------------------|
| Structure 103 RW    | Structure 103       |
| Structure 103 PG AQ | Structure 603       |
| Structure 108 RW    | Structure 108       |
| Structure 108 PG    | Structure 208       |
| Structure 109 RW    | Structure 109       |
| Structure 109 PG    | Structure 209       |
| Structure 111 PG    | Structure 211       |
| Structure 114 RW    | Structure 114       |
| Structure 116 RW    | Structure 116       |
| Structure 116 PG    | Structure 216       |
| Structure 117 RW    | Structure 117       |
| Structure 126 RW    | Structure 126       |
| Structure 129 RW    | Structure 129       |
| Structure 129 PG    | Structure 229       |
| Structure 129 PG AQ | Structure 629       |
| Structure 131 RW    | Structure 131       |
| Structure 131 PG    | Structure 231       |
| Structure 132 RW    | Structure 132       |
| Structure 133 PG    | Structure 233       |
| Structure 133 PG AQ | Structure 633       |
| Structure 135 RW    | Structure 135       |

## SYSTEXX Pure

| Product name            | Former product name |
|-------------------------|---------------------|
| Structure 135 PG        | Structure 235       |
| Structure 135 PG AQ     | Structure 635       |
| Structure 138 RW        | Structure 138       |
| Structure 138 PG        | Structure 238       |
| Structure 139 RW        | Structure 139       |
| Structure 139 PG        | Structure 239       |
| Structure 139 PG AQ     | Structure 639       |
| Structure 145 RW        | Structure 145       |
| Structure 146 RW        | Structure 146       |
| Structure 150 RW        | Structure 150       |
| Structure 150 PG        | Structure 250       |
| Structure 150 PG AQ     | Structure 650       |
| Structure 152 RW        | Structure 152       |
| Structure 152 PG        | Structure 252       |
| Structure 154 RW        | Structure 154       |
| Structure 158 RW        | Structure 158       |
| Structure 162 RW        | Structure 162       |
| Structure 164 RW        | Structure 164       |
| Structure 165 RW        | Structure 165       |
| Structure 165 PG        | Structure 204       |
| Structure 165 PG AQ     | Structure 604       |
| Structure 182 PG AQ     | Structure 608       |
| Structure 192 RW        | Structure 192       |
| Structure 510 RW        | <b>NEW</b>          |
| Lines 901 RW            | Lines 901           |
| Jute 904 RW             | Jute 904            |
| Jute 904 RW AQ          | Jute 004            |
| Rain 905 RW             | Rain 905            |
| Big Stripes 906 RW      | Big Stripes 906     |
| Mixed Stripes 907 RW    | Mixed Stripes 907   |
| Small Stripes 925 RW    | Small Stripes 925   |
| Small Stripes 925 RW AQ | Small Stripes 025   |
| Silk 960 RW             | Silk 960            |
| Silk 960 RW AQ          | Silk 060            |
| Dots 975 RW AQ          | Dots 075            |

## SYSTEXX Fleece

| Product name         | Former product name |
|----------------------|---------------------|
| Glass 35 RW          | vp35                |
| Glass 100 PG         | vpp100              |
| Glass 100 PG AQ      | V11                 |
| Glass 130 PG         | vpp130              |
| Glass 130 PG AQ      | V14                 |
| Glass 130 PG AQ+     | V16                 |
| Glass 200 PG         | vpp200              |
| Glass 200 PG AQ      | V22                 |
| Glass 225 Si         | vpp225si            |
| Cellulose 130 PG     | cp130               |
| Cellulose 150 PG     | cp150               |
| Cellulose 150 Eco PG | <b>NEW</b>          |

## SYSTEXX Tech

| Product name | Former product name |
|--------------|---------------------|
| FissNet 870  | fissnet 70          |
| FissNet 895  | fissnet 95          |