

CE marking



SYSTEXX Active FireProtect FP04
SYSTEXX Active FireProtect FP78
SYSTEXX Active FireProtect FP79

Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast

17

Reference number to declaration of performance: 113

DIN EN 15102:2007+A1:2011

Glassfibre wall covering with flame-retardant and non-slipping finish for decorative and functional wall design, white; finished with flame retardant products accepted by OEKO-TEX

Fire behavior	A2-s1, d0
Formaldehyde emission	passed
Heavy metals + other elements	passed
Vinyl chloride monomer	passed
Sound absorption	NPD, no performance determined
Thermal resistance	NPD, no performance determined

Declaration of performance

Reference number to declaration of performance: 113

Decorative wall covering – in roll and sheet form

SYSTEXX:

SYSTEXX Active FireProtect FP04

SYSTEXX Active FireProtect FP78

SYSTEXX Active FireProtect FP79

For glassfibre wall coverings with flame-retardant and non-slipping finish for decorative and functional wall design, white; finished with flame retardant products accepted by OEKO-TEX

SYSTEXX by Vitrulan

**Vitrulan Textile Glass GmbH
Bernecker Strasse 8
95509 Marktschorgast, Germany**

Fire behaviour: System 1

The notified testing center Hoch (NB 1508) tested and rated fire performance by means of type testing and issued reports KB-Hoch-171107-2 on 16.02.2018.

Other essential characteristics: System 1

Declared performance:

Essential characteristics	Performance	Harmonized technical specifications
Fire behavior	A2-s1, d0	DIN EN 15102:2007+A1:2011
Formaldehyde emission	passed	DIN EN 15102:2007+A1:2011
Heavy metals + other elements	passed	DIN EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	DIN EN 15102:2007+A1:2011
Sound absorption	NPD, no performance determined	DIN EN 15102:2007+A1:2011
Thermal resistance	NPD, no performance determined	DIN EN 15102:2007+A1:2011

Marktschorgast, 28.05.2018

Vitrulan
Textile Glass GmbH
Bernecker Str. 8
95509 Marktschorgast

Ralf Barthmann
Managing Director